

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	485	((tape cartridge cassette) near4 (tray drive)) same fan)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:28
L2	234	((tape cartridge cassette) near4 (tray drive)) same ((temperature heat thermal) near4 (detect \$4 sens\$4 determin\$5 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur \$3 monitor\$3 observ\$4))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:31
L3	93	((tape cartridge cassette) near4 (tray drive)) same ((light indicator) with (fault error problem))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:31
L4	0	library and 1 and 2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:32
L5	0	1 and 2 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:32
L6	59	library and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:32
L7	16	library and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:33
L8	13	library and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:33
L9	16	1 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:33

L10	3	6 and 7	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:33
L11	1916	((tape cartridge cassette) near4 (tray drive)) same (((power voltage current) near2 supply) VCC VDD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:35
L12	114	11 and 1	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:35
L13	39	11 and 2	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:35
L14	9	11 and 3	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:35
L15	256	library and 11	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:36
L16	1	15 and 14	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:36
L17	3	((tape cartridge cassette) with library) and ((tape cassette cartridge) with drive) and fan and ((temperature heat thermal) with (detect\$4 sens\$4 determin\$5 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur \$3 monitor\$3 observ\$4)) and ((light indicator) with (fault error problem)) and ((power voltage current) near2 supply) VCC VDD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:43

L18	67	((tape cartridge cassette) and library and drive and fan and ((temperature heat thermal) with (detect\$4 sens\$4 determin\$5 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur \$3 monitor\$3 observ\$4)) and ((light indicator) with (fault error problem)) and ((power voltage current) near2 supply) VCC VDD)	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:47
L19	0	((tape cartridge cassette) and library and drive and fan and ((temperature heat thermal) with (detect\$4 sens\$4 determin\$5 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur \$3 monitor\$3 observ\$4)) and ((light indicator) with (fault error problem)) and ((power voltage current) near2 supply) VCC VDD) and controll\$4).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:47
L20	0	18 and "360".clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:47
L21	64	((tape cartridge cassette) and library and drive and fan and ((temperature heat thermal) with (detect\$4 sens\$4 determin\$5 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur \$3 monitor\$3 observ\$4)) and ((light indicator) with (fault error problem)) and ((power voltage current) near2 supply) VCC VDD) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:48

L22	17	((tape cartridge cassette) with drive) and library and fan and ((temperature heat thermal) with (detect\$4 sens\$4 determin\$5 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur\$3 monitor\$3 observ\$4)) and ((light indicator) with (fault error problem)) and ((power voltage current) near2 supply) VCC VDD) and controller	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 12:50
L23	1143	((tape cassette cartridge) near5 (drive tray)) and (controller processor microprocessor CPU) and serial and decod\$4 and ((feedback ((feed\$4 loop\$4) near2 back) loopback return\$4) near4 (data information signal)) and ((verify check\$4 determin\$4 detect\$4 sens\$4 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur\$3 monitor\$3 observ\$4) with (integrity error fault failure) with (data signal information communication))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:00
L24	49	((tape cassette cartridge) near5 (drive tray)) and (controller processor microprocessor CPU) and serial and decod\$4 and ((sampl\$4 periodically time often) same ((feedback ((feed\$4 loop\$4) near2 back) loopback return\$4) near4 (data information signal)) same ((verify check\$4 determin\$4 detect\$4 sens\$4 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur\$3 monitor\$3 observ\$4) with (integrity error fault failure) with (data signal information communication)))	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:12

L25	0	((tape cassette cartridge) near5 (drive tray)) and (controller processor microprocessor CPU) and serial and decod\$4 and (saml\$4 periodically time often) and ((feedback ((feed\$4 loop\$4) near2 back) loopback return \$4) near4 (data information signal)) and ((verify check\$4 determin\$4 detect\$4 sens\$4 calculat\$3 deriv\$3 estimat\$4 judg\$3 measur\$3 monitor\$3 observ\$4) with (integrity error fault failure) with (data signal information communication))).clm.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:15
L26	5	24 and "360".clas.	US-PGPUB; USPAT; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2008/04/09 13:15

4/9/08 1:17:31 PM

C:\Documents and Settings\jolson\My Documents\EAST\Workspaces\10696321.wsp